

Made for your enterprise.
Built for performance.

Every business needs a reliable business partner. The new mono laser series helps you maximise print efficiency and minimise costs so you can make the most of your investment.



HL - L5100DN

Enhance your productivity and efficiency
with a high-performance mono laser series.
The printer that means business.

Designed in Japan, the new Brother mono laser series
is power-packed with features to boost productivity;
offering the best possible solution for your business needs.



Built to meet the challenges of your business

Discover how Brother printers and Multi-Function Centres can bring your performance to the next level.

Built for Reliability

Print as much as you need with a robust and dependable machine that has a monthly print cycle of up to **50,000 pages**.

Built for Savings

A super high-yield toner lets you print up to **12,000 pages¹** for less. Choose from different toner settings to increase your savings per printout.

Built for Productivity

Focus on your high volume print jobs and spend less time reloading paper with the default paper tray of up to **250 sheets capacity, 50 sheets multi-purpose tray**, plus optional upgrades of two additional paper trays, bringing the **total paper capacity up to 1,340 sheets**.

Further maximise productivity with these features:

- **High print speeds** of up to 40ppm
- **Up to 56ipm high speed 2-sided scanning²**
- Scan and copy multiple pages with a high capacity **70 sheets Automatic Document Feeder³**

¹Applicable to TN-3478 only, in accordance with ISO/IEC 19752

²Applicable to mono scanning for MFC-L5900DW only, in accordance with ISO/IEC 17991

³Applicable to DCP-L5600DN & MFC-L5900DW only

70 sheets Dual CIS Automatic Document Feeder



50 sheets multi-purpose tray

250 sheets default paper tray

Paper Level Indicator

Optional **520 sheets** paper tray
*Optional trays require additional purchase
Paper trays capacity may vary with paper types*


MFC-L5900DW



USB direct print*



3.7" TFT Colour LCD*



User-friendly control panel*



Wireless connectivity**

*Applicable to DCP and MFC models only.

**Applicable to HL-L6200DW and MFC-L5900DW only



Simplify business operations and safeguard your documents

Easily manage your Brother network-connected products from one central location using **BRAdmin Professional Software**.

This network management tool allows **remote configurations, monitoring of useful information** such as page counts, toner and drum status. With the option of setting print quota of each user, you can better **control printing cost**. Instant **notification of printer downtime** also lets you attend to the problem before it impacts productivity. What's more, this software features a **suite of security solutions** to assure you of your documents' confidentiality.

Created to prioritise security



Secure Function Lock 3.0*

gives greater control over group or individual usage by allowing administrator to limit printer functions.



Internet Protocol Security (IPSec)*

encrypts print jobs from the user's computer to the printers.



Print Archive

saves a PDF copy of every print job in a set location for easy E-Documentation.



Secure Reset

removes stored data when reverting the printer to original settings so that company data remains protected.



Active Directory**

ensures documents are printed only when the correct password is entered. Plus users don't have to remember multiple passwords as the password is the same as their PC's.



Pin Code

Flexible workflow solutions customised for your business

- The **Brother Special Solutions Customisation (SSC)** enables Brother products to be modified depending on your needs. Through careful collaboration, we help you design the best solution that meets specific business challenges.
- The **Brother Solutions Interface (BSI)**** is a web-based service platform that lets software developers easily create customised solutions.

Built for Mobile Convenience

Integrating mobile devices into your workflow has never been easier. With Brother iPrint&Scan, Apple AirPrint®, and Google Cloud Print™, you can print wirelessly straight from your mobile device.

- Print JPEGs and PDFs
- Scan to JPEG
- Preview Copy / Fax
- Save to iCloud for Apple products

* Applicable to all models

** Applicable to DCP-L5600DN and MFC-L5900DW only

Professional Line-up for your Business

Whatever your business needs may be, there's
a suitable mono laser machine for you.



HL-L5100DN



Up to
40ppm



Auto 2-sided
Print



512 MB
Memory



Ethernet



SFL 3.0



DCP-L5600DN



Up to
40ppm



Auto 2-sided
Print



512 MB
Memory



Ethernet



SFL 3.0



3.7" TFT
LCD



70-sheet
ADF



MFC-L5900DW



Up to
40ppm



Auto 2-sided
Print, Scan
& Copy



1 GB
Memory



Gigabit
Ethernet



SFL 3.0



3.7" TFT
LCD



70-sheet
Dual CIS ADF



Auto
2-sided
Fax



Wireless
Connectivity

All print speeds are in accordance with ISO/IEC 11160-2:1996

Supplies available with this range



TN-3428
3,000 pages
Standard-Yield
Toner



TN-3448
8,000 pages
High-Yield Toner



TN-3478
12,000 pages
Super High-Yield
Toner



DR-3455
30,000 pages
Drum

Approx yields based on ISO/IEC 19752. Declared drum yield based on 1 page/job.



HL-L5100DN



DCP-L5600DN



MFC-L5900DW

	Single-Function HL-L5100DN
Key Functions	Automatic 2-sided Print , Network
PRINT FUNCTIONS	
Print Speed (A4/Letter)	Up to 40/42 ppm
Print Resolution	Up to 1200 x 1200 dpi
First Print Out Time (Ready)	Less than 7.2 secs
2-sided Feature	Automatic 2-sided Print
Special Print Functions	N-in-1 Printing Poster Printing (Windows® only) Watermark Printing (Windows® only) Header-Footer Printing (Windows® only), Secure Print
Print Language	PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0
Quiet Mode	Yes
COPY FUNCTIONS	
Copy Speed (A4 / Letter)	-
Copy Resolution	-
Reduction / Enlargement Ratio	-
Multi Copy / Stack	-
SCAN FUNCTIONS	
Scan Type	-
Dual Scanner (Method)	-
Resolution (Optical / Enhanced)	-
Scan Functions	-
Scanning Speed (Mono/Color) Multiple sheets	-
FAX FUNCTIONS	
Modem Speed	-
Transmission Speed (Mono)	-
Memory Transmission / Out-of paper reception	-
Speed Dial	-
Group Dials	-
Broadcasting	-
PC Faxing	-
Other Fax Features	-
PAPER HANDLING	
Input Tray (Standard)	250 Sheets
Multi-Purpose Tray / Manual Slot	50 Sheets
Output Tray (Face Down)	150 Sheets
Optional Paper Tray (Input)	250 sheets (LT-5500) or 520 sheets (LT-6500) x 2 pcs (Max. 1,040 sheets)
Automatic Document Feeder (ADF)	-
Media Size (Standard Tray)	A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal
OTHERS	
Memory	512MB
Processor Speed	Cortex-A9 (800MHz)
Display	16 characters x 1 line
Windows® (Host-Based)	Windows XP Home Edition, XP Professional Edition, XP Professional x64 Edition, Server 2003, Server 2003 x64 Edition, Vista, Server 2008, Server 2008 R2, 7, 8, 8.1, 10, Server 2012, Server 2012 R2
Apple Mac®	Mac OS X v10.8.5, 10.9.x, 10.10.x (Download only)
Linux® (Linux® Printer Driver)	CUPS, LPD/LPRng (x86/x64 environment)
Universal Printer Driver	Yes (BRScript / PCL)
Connectivity / Networking	Built-in Ethernet 10/100 Base-TX Hi-Speed 2.0
Power Consumption (Sleep/Ready)	6.5W/32W
Power Source	220-240V, AC 50/60Hz
Webconnect (Brother's App)	
SUPPLIES	
Standard-Yield Toner	TN-3428: Approximately 3,000 pages*
High-Yield Toner	TN-3448: Approximately 8,000 pages*
Super High-Yield Toner	TN-3478: Approximately 12,000 pages*
Drum	DR-3455: Approximately 30,000 pages*
DIMENSIONS & WEIGHT	
Dimension (W X D X H)	373 x 388 x 255 mm
Weight	11.1kg
SUPPORT	
Warranty	3 Years On-Site

* In accordance with ISO/IEC 19752.

** In accordance with ISO/IEC 17991

	Multi-Function	
	DCP-L5600DN	MFC-L5900DW
	Automatic 2-sided Print , Network	Automatic 2-sided Print , Wireless
Key Functions		
PRINT FUNCTIONS		
Print Speed (A4/Letter)	Up to 40/42 ppm	
Print Resolution	Up to 1200 x 1200 dpi	
First Print Out Time (Ready)	Less than 7.2 secs	
2-sided Feature	Automatic 2-sided Print	
Special Print Functions	N-in-1 Printing Poster Printing (Windows®) Watermark Printing (Windows®) Header-Footer Printing (Windows®), Secure Print	
Print Language	PCL6, BR-Script3, IBM Proprinter XL, Epson FX-850, PDF Version 1.7, XPS Version 1.0	
Quiet Mode	Yes	
COPY FUNCTIONS		
Copy Speed (A4 / Letter)	Up to 40/42 cpm	
Copy Resolution	1200 x 600dpi	
Reduction / Enlargement Ratio	25% - 400% in 1% increments	
Multi Copy / Stack	Up to 99 copies	
SCAN FUNCTIONS		
Scan Type	Monochrome / Colour - ADF or Flatbed	
Dual Scanner (Method)	No (CIS)	Yes (Dual CIS)
Resolution (Optical / Enhanced)	Up to 1200 x 1200 dpi / Up to 19,200 x 19,200 dpi	
Scan Functions	Scan to Email, Image, OCR, File, Email Server (Download only), FTP, SFT, USB and Network (Windows® only)	Scan to Email, Image, OCR, File, Email Server, FTP, SFT, USB and Network (Windows® only)
Scanning Speed (Mono/Color) Multiple sheets	Up to 28/20 ipm**	Up to 28/20 ipm**
FAX FUNCTIONS		
Modem Speed	-	33.6Kbps Super G3
Transmission Speed (Mono)	-	Approx. 2.5 Secs (ITU-T Test Chart, Std Resolution, JBIG)
Memory Transmission / Out-of paper reception	-	Up to 500 pages (ITU-T Test Chart, Std Resolution, JBIG)
Speed Dial	300 locations (Accessible only when downloading "Scan to Email server")	300 Locations
Group Dials	20 groups (Accessible only when downloading "Scan to Email server")	20 Groups
Broadcasting	-	350 Locations
PC Faxing	-	Sending (Available for Windows®, Mac® [FaxShare Software by Brother], Linux®[LPR / CUPS PC-FAX Send Driver]) Receiving (Available for Windows®)
Other Fax Features	-	Duplex Fax Send, Internet Fax (Simple mode), Auto Reduction, Delay Timer (Up to 50), Error Correction Mode, Fax Retrieval, Remote Access, Quick Scan (Approx. 2.5 Sec), Fax Forward
PAPER HANDLING		
Input Tray (Standard)	250 Sheets	
Multi-Purpose Tray / Manual Slot	50 Sheets	
Output Tray (Face Down)	150 Sheets	
Optional Paper Tray (Input)	250 sheets (LT-5500) or 520 sheets (LT-6500) x 2 pcs (Max. 1,040 sheets)	
Automatic Document Feeder (ADF)	70-Sheets	
Media Size (Standard Tray)	A4, Letter, A5, A5 (Long Edge), A6, Executive, Legal, Folio, Mexico Legal, India Legal	
OTHERS		
Memory	512MB	1GB
Processor Speed	Cortex-A9 (800MHz)	
Display	3.7" TFT Colour LCD	
Windows® (Host-Based)	Windows® XP Home Edition, XP Professional Edition, XP professional x64 Edition, Server 2003 (Network only), Server 2003 x64 Edition (Network only), Vista, Server 2008 (Network only), Server 2008 R2 (Network only), 7, 8, 8.1, 10, Server 2012 (Network only), Server 2012 R2 (Network only)	
Apple Mac®	Mac® OS X v10.8.5, 10.9.x, 10.10.x (Download only)	
Linux® (Linux® Printer Driver)	CUPS, LPD/LPRng (x86/x64 environment)	
Universal Printer Driver	Yes (BRScript / PCL)	
Connectivity / Networking	Built-in Ethernet 10/100 Base-TX Hi-Speed 2.0	Built-in Wireless 802.11b/g/n Wi-Fi Direct, Built-in Gigabit Ethernet 10Base-T/100Base-TX/1000 Base-T Hi-Speed 2.0
Power Consumption (Sleep/Ready)	7.5W / 34W	
Power Source	220-240V, AC 50 / 60Hz	
Webconnect (Brother's App)	Yes	
SUPPLIES		
Standard-Yield Toner	TN-3428: Approximately 3,000 pages*	
High-Yield Toner	TN-3448: Approximately 8,000 pages*	
Super High-Yield Toner	TN-3478: Approximately 12,000 pages*	
Drum	DR-3455: Approximately 30,000 pages*	
DIMENSIONS & WEIGHT		
Dimension (W X D X H)	495 x 427 x 486 mm	495 x 427 x 486 mm
Weight	17.5KG	17.7KG
SUPPORT		
Warranty	3 Years On-Site	3 Years On-Site

*** Optional free download available from <http://solutions.brother.com>

brother
at your side

Scan here for
more information
and promotions
from Brother



Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

Contact:

Brother Careline: 03-7884 9999 / Email: atyourside@brother.com.my

Brother International (Malaysia) Sdn. Bhd. (529739-H)

Unit T1-L5, Level 5, Tower 1, Jaya 33, No. 3, Jalan Semangat, Seksyen 13, 46200 Petaling Jaya, Selangor Darul Ehsan, Malaysia.
Tel: (603) 7884 9999 Fax: (603) 7884 9911 Customer Service Operation Hours: Monday - Friday: 8.30am - 5.30pm,
Saturday: 8.30am - 1.00pm (Except for public holidays)

BROTHER INTERNATIONAL CORP., JAPAN
BROTHER INTERNATIONAL (M) SDN BHD (529739-H)



estore.brother.com.my

www.brother.com.my